

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

- 5 1. A display device including:
a first member including a tabletop provided with a
transparent portion;
a second member arranged to cooperate with the first
member to define an interior space for holding an
10 article to be viewed through the transparent portion;
the first and second members are arranged to be
selectively engaged together or disengaged by way of
lockable operating means, the operating means being
operable from a position outside the interior space.
- 15 2. A display device according to claim 1 wherein the
first and second members engage together by way of
two opposed retaining means.
3. A display device according to claim 2 wherein each
retaining means includes a flange and a mating
20 aperture and at least one of the flanges is movable
between an engaged and a disengaged position.
4. A display device according to claim 3 wherein each
flange is disposed on the second member and each
recess is disposed on the first member.
- 25 5. A display device according to claim 4 wherein the
flanges face outwardly from one another.
6. A display device according to claim 1 wherein the
operating means includes a rotary lock barrel which
is arranged to rotate a cam.
- 30 7. A display device according to claim 6 wherein
rotation of the cam causes lateral movement of a
locking bar upon which one of the flanges is
disposed.

8. A display device according to claim 3 wherein each flange is engageable with either recess.
9. A display arrangement including:
a tabletop having an interior space for holding an article;
the table top includes a transparent portion allowing viewing of the article;
the article including an information bearing sheet and a three dimensional object;
the information bearing sheet includes a cut-out portion through which the object may be viewed.
10. A display arrangement according to claim 9 wherein the object is a product and the sheet bears information relating to that product.
11. A display arrangement according to claim 9 wherein the display arrangement includes a supporting means including a flat portion for supporting the sheet, and a depressed portion for supporting the object.
12. A display arrangement according to claim 11 wherein the supporting means is biased towards the transparent portion.
13. A display arrangement according to claim 12 wherein the supporting means is biased by compressible material.
14. A display device according to claim 11 wherein the supporting means is in the form of a removable tray.
15. A display device according to claim 1 when used in a display arrangement according to claim 9.
16. A display arrangement according to claim 9 including a display device according to claim 1.
17. A tabletop for use with a display arrangement, the tabletop having a transparent portion through which an article may be viewed and two opposed recesses

that allow engagement of the tabletop to a fixed support.

18. A base portion for a display arrangement, the base portion including a base plate provided with two outwardly facing flanges that allow engagement of an overlying tabletop member, at least one of the flanges being movable to selectively engage or disengage the overlying tabletop member.